

# MEDICAL - CLINICAL CENTRIFUGE

## Digital Model - 2800 RPM (Brushless Motor)

*Laby*<sup>TM</sup>



BRUSHLESS MOTOR  
(WITHOUT CARBON)



Model: M-8

### Specifications

- Bench top Centrifuge separate serum from blood and PCV, Cytology tests etc.
- The body is made of CRC sheet, finished with powder coating.
- Fitted with metallic centrifuge chamber which is easy to clean.
- Centrifuge is fitted Microprocessor based with pre programmable speed controller to control speed from 400 to 2800 with an interval of 400 rpm.
- Fitted with digital timer to control time 1 to 99 minutes with an interval of 1 min.
- Max. speed 2850 rpm and RCF 1325 xg.
- Fitted with brushless motors.
- To work on 220 Volts 50 Hz AC.

### Special Feature

- Very Stable
- No vibration
- Double walled lid
- Motor fitted on anti vibration pad so noise will occur
- Machine can run throughout the day.
- Warranty one year

▶ Dimension of Machine	L = 395 mm W = 360 mm H = 280 mm
▶ Weight of Machine	12.5 kg Approx
▶ Gross Weight of Machine	14 kg (with box)

### Rotors available for Medical Centrifuge as per customer's choice:-

MODEL	Capacity	Type of Rotor	Speed RPM	RCF 'g'
M - 8	16 x 15 ml	Swing	2850	1325 x g